

CP Corpo Collare



CP Clamp Body

CP Cuerpo de Abrazadera

Coppia di semicollari

Two clamps halves

Parejas de medias abrazaderas



Code	Outside diameter ØD1		Nominal bore pipe	L1	L2	H	S	Width
	(mm)	(in)	(in)	(mm/in)	(mm/in)	(mm/in)	(mm/in)	(mm/in)
CP1-006-PP	6			56 (2.20")	33 (1.30")	33 (1.30")	1 (.04")	30 (1.18")
CP1-006.4-PP	6,4	1/4"		56 (2.20")	33 (1.30")	33 (1.30")	1 (.04")	30 (1.18")
CP1-008-PP	8			56 (2.20")	33 (1.30")	33 (1.30")	1 (.04")	30 (1.18")
CP1-009.5-PP	9,5	3/8"		56 (2.20")	33 (1.30")	33 (1.30")	1 (.04")	30 (1.18")
CP1-010-PP	10		1/8"	56 (2.20")	33 (1.30")	33 (1.30")	1 (.04")	30 (1.18")
CP1-012-PP	12			56 (2.20")	33 (1.30")	33 (1.30")	1 (.04")	30 (1.18")
CP1-012.7-PP	12,7	1/2"		56 (2.20")	33 (1.30")	33 (1.30")	1 (.04")	30 (1.18")
CP1-013.5-PP	13,5		1/4"	56 (2.20")	33 (1.30")	33 (1.30")	1 (.04")	30 (1.18")
CP1-014-PP	14			56 (2.20")	33 (1.30")	33 (1.30")	1 (.04")	30 (1.18")
CP1-015-PP	15			56 (2.20")	33 (1.30")	33 (1.30")	1 (.04")	30 (1.18")
CP1-016-PP	16	5/8"		56 (2.20")	33 (1.30")	33 (1.30")	1 (.04")	30 (1.18")
CP1-017.2-PP	17,2		3/8"	56 (2.20")	33 (1.30")	33 (1.30")	1 (.04")	30 (1.18")
CP1-018-PP	18			56 (2.20")	33 (1.30")	33 (1.30")	1 (.04")	30 (1.18")
CP1-019-PP	19	3/4"		56 (2.20")	33 (1.30")	33 (1.30")	1 (.04")	30 (1.18")
CP1-020-PP	20			56 (2.20")	33 (1.30")	33 (1.30")	1 (.04")	30 (1.18")
CP2-019-PP	19	3/4"		70 (2.76")	45 (1.77")	49 (1.93")	1 (.04")	30 (1.18")
CP2-020-PP	20			70 (2.76")	45 (1.77")	49 (1.93")	1 (.04")	30 (1.18")
CP2-021.3-PP	21,3		1/2"	70 (2.76")	45 (1.77")	49 (1.93")	1 (.04")	30 (1.18")
CP2-022-PP	22	7/8"		70 (2.76")	45 (1.77")	49 (1.93")	1 (.04")	30 (1.18")
CP2-025-PP	25			70 (2.76")	45 (1.77")	49 (1.93")	1 (.04")	30 (1.18")
CP2-025.4-PP	25,4	1"		70 (2.76")	45 (1.77")	49 (1.93")	1 (.04")	30 (1.18")
CP2-026.9-PP	26,9		3/4"	70 (2.76")	45 (1.77")	49 (1.93")	1 (.04")	30 (1.18")
CP2-028-PP	28			70 (2.76")	45 (1.77")	49 (1.93")	1 (.04")	30 (1.18")
CP2-030-PP	30			70 (2.76")	45 (1.77")	49 (1.93")	1 (.04")	30 (1.18")

Code	Outside diameter ØD1		Nominal bore pipe (in)	L1 (mm/in)	L2 (mm/in)	H (mm/in)	S (mm/in)	Width
	(mm)	(in)						
CP3-030-PP	30			85 (3.35")	60 (2.36")	60 (2.36")	1,2 (.05")	30 (1.18")
CP3-032-PP	32	1.1/4"		85 (3.35")	60 (2.36")	60 (2.36")	1,2 (.05")	30 (1.18")
CP3-033.7-PP	33,7		1"	85 (3.35")	60 (2.36")	60 (2.36")	1,2 (.05")	30 (1.18")
CP3-035-PP	35			85 (3.35")	60 (2.36")	60 (2.36")	1,2 (.05")	30 (1.18")
CP3-036-PP	36			85 (3.35")	60 (2.36")	60 (2.36")	1,2 (.05")	30 (1.18")
CP3-038-PP	38	1.1/2"		85 (3.35")	60 (2.36")	60 (2.36")	1,2 (.05")	30 (1.18")
CP3-040-PP	40			85 (3.35")	60 (2.36")	60 (2.36")	1,2 (.05")	30 (1.18")
CP3-042.4-PP	42,4		1.1/4"	85 (3.35")	60 (2.36")	60 (2.36")	1,2 (.05")	30 (1.18")
CP3-043-PP	43			85 (3.35")	60 (2.36")	60 (2.36")	1,2 (.05")	30 (1.18")
CP3-044.5-PP	44,5			85 (3.35")	60 (2.36")	60 (2.36")	1,2 (.05")	30 (1.18")
CP3-045-PP	45			85 (3.35")	60 (2.36")	60 (2.36")	1,2 (.05")	30 (1.18")
CP4-033.7-PP	33,7		1"	116 (4.56")	90 (3.54")	88 (3.46")	2 (.08")	45 (1.77")
CP4-038-PP	38	1.1/2"		116 (4.56")	90 (3.54")	88 (3.46")	2 (.08")	45 (1.77")
CP4-040-PP	40			116 (4.56")	90 (3.54")	88 (3.46")	2 (.08")	45 (1.77")
CP4-042.4-PP	42,4		1.1/4"	116 (4.56")	90 (3.54")	88 (3.46")	2 (.08")	45 (1.77")
CP4-044.5-PP	44,5	1.3/4"		116 (4.56")	90 (3.54")	88 (3.46")	2 (.08")	45 (1.77")
CP4-045-PP	45			116 (4.56")	90 (3.54")	88 (3.46")	2 (.08")	45 (1.77")
CP4-048.3-PP	48,3		1.1/2"	116 (4.56")	90 (3.54")	88 (3.46")	2 (.08")	45 (1.77")
CP4-050-PP	50			116 (4.56")	90 (3.54")	88 (3.46")	2 (.08")	45 (1.77")
CP4-050.8-PP	50,8	2"		116 (4.56")	90 (3.54")	88 (3.46")	2 (.08")	45 (1.77")
CP4-053-PP	53			116 (4.56")	90 (3.54")	88 (3.46")	2 (.08")	45 (1.77")
CP4-054-PP	54		1.3/4"	116 (4.56")	90 (3.54")	88 (3.46")	2 (.08")	45 (1.77")
CP4-055-PP	55			116 (4.56")	90 (3.54")	88 (3.46")	2 (.08")	45 (1.77")
CP4-056-PP	56			116 (4.56")	90 (3.54")	88 (3.46")	2 (.08")	45 (1.77")
CP4-057.2-PP	57,2	2.1/4"		116 (4.56")	90 (3.54")	88 (3.46")	2 (.08")	45 (1.77")
CP4-060.3-PP	60,3		2"	116 (4.56")	90 (3.54")	88 (3.46")	2 (.08")	45 (1.77")
CP4-063.5-PP	63,5	2.1/2"		116 (4.56")	90 (3.54")	88 (3.46")	2 (.08")	45 (1.77")
CP4-065-PP	65			116 (4.56")	90 (3.54")	88 (3.46")	2 (.08")	45 (1.77")
CP4-070-PP	70	2.3/4"		116 (4.56")	90 (3.54")	88 (3.46")	2 (.08")	45 (1.77")



CP Corpo Collare



CP Clamp Body

CP Cuerpo de Abrazadera

Coppia di semicollari

Two clamps halves

Parejas de medias abrazaderas




Code	Outside diameter ØD1		Nominal bore pipe	L1	L2	H	S	Width
	(mm)	(in)	(in)	(mm/in)	(mm/in)	(mm/in)	(mm/in)	(mm/in)
CP5-060.3-PP	60,3		2"	155 (6.10")	122 (4.80")	118 (4.65")	2 (.08")	60 (2.36")
CP5-065-PP	65			155 (6.10")	122 (4.80")	118 (4.65")	2 (.08")	60 (2.36")
CP5-066-PP	66		2.1/4"	155 (6.10")	122 (4.80")	118 (4.65")	2 (.08")	60 (2.36")
CP5-070-PP	70	2.3/4"		155 (6.10")	122 (4.80")	118 (4.65")	2 (.08")	60 (2.36")
CP5-073-PP	73			155 (6.10")	122 (4.80")	118 (4.65")	2 (.08")	60 (2.36")
CP5-076.1-PP	76,1	3"	2.1/2"	155 (6.10")	122 (4.80")	118 (4.65")	2 (.08")	60 (2.36")
CP5-080-PP	80			155 (6.10")	122 (4.80")	118 (4.65")	2 (.08")	60 (2.36")
CP5-082.5-PP	82,5	3.1/4"		155 (6.10")	122 (4.80")	118 (4.65")	2 (.08")	60 (2.36")
CP5-085-PP	85			155 (6.10")	122 (4.80")	118 (4.65")	2 (.08")	60 (2.36")
CP5-088.9-PP	88,9	3.1/2"	3"	155 (6.10")	122 (4.80")	118 (4.65")	2 (.08")	60 (2.36")
CP5-090-PP	90			155 (6.10")	122 (4.80")	118 (4.65")	2 (.08")	60 (2.36")
CP6-088.9-PP	88,9	3.1/2"	3"	206 (8.11")	168 (6.61")	165 (6.50")	3 (.12")	80 (3.15")
CP6-100-PP	100			206 (8.11")	168 (6.61")	165 (6.50")	3 (.12")	80 (3.15")
CP6-101.6-PP	101,6	4"		206 (8.11")	168 (6.61")	165 (6.50")	3 (.12")	80 (3.15")
CP6-102-PP	102		3.1/2"	206 (8.11")	168 (6.61")	165 (6.50")	3 (.12")	80 (3.15")
CP6-108-PP	108	4.1/4"		206 (8.11")	168 (6.61")	165 (6.50")	3 (.12")	80 (3.15")
CP6-110-PP	110			206 (8.11")	168 (6.61")	165 (6.50")	3 (.12")	80 (3.15")
CP6-114.3-PP	114,3	4.1/2"	4"	206 (8.11")	168 (6.61")	165 (6.50")	3 (.12")	80 (3.15")
CP6-121-PP	121			206 (8.11")	168 (6.61")	165 (6.50")	3 (.12")	80 (3.15")
CP6-126.5-PP	126,5		4.1/2"	206 (8.11")	168 (6.61")	165 (6.50")	3 (.12")	80 (3.15")
CP6-127-PP	127	5"		206 (8.11")	168 (6.61")	165 (6.50")	3 (.12")	80 (3.15")
CP6-133-PP	133	5.1/4"		206 (8.11")	168 (6.61")	165 (6.50")	3 (.12")	80 (3.15")

Code	Outside diameter ØD1		Nominal bore pipe (in)	L1 (mm/in)	L2 (mm/in)	H (mm/in)	S (mm/in)	Width
	(mm)	(in)						
CP7-127-PP	127	5"		255 (10.04")	205 (8.07")	200 (7.87")	4 (.16")	90 (3.54")
CP7-133-PP	133	5.1/4"		255 (10.04")	205 (8.07")	200 (7.87")	4 (.16")	90 (3.54")
CP7-140-PP	140		5"	255 (10.04")	205 (8.07")	200 (7.87")	4 (.16")	90 (3.54")
CP7-146-PP	146			255 (10.04")	205 (8.07")	200 (7.87")	4 (.16")	90 (3.54")
CP7-150-PP	150			255 (10.04")	205 (8.07")	200 (7.87")	4 (.16")	90 (3.54")
CP7-152-PP	152	6"		255 (10.04")	205 (8.07")	200 (7.87")	4 (.16")	90 (3.54")
CP7-154-PP	154			255 (10.04")	205 (8.07")	200 (7.87")	4 (.16")	90 (3.54")
CP7-159-PP	159	6.1/4"		255 (10.04")	205 (8.07")	200 (7.87")	4 (.16")	90 (3.54")
CP7-165-PP	165	6.1/2"		255 (10.04")	205 (8.07")	200 (7.87")	4 (.16")	90 (3.54")
CP7-168-PP	168		6"	255 (10.04")	205 (8.07")	200 (7.87")	4 (.16")	90 (3.54")
CP8-168-PP	168		6"	320 (12.60")	265 (10.43")	270 (10.63")	4 (.16")	120 (4.72")
CP8-177.8-PP	177,8	7"		320 (12.60")	265 (10.43")	270 (10.63")	4 (.16")	120 (4.72")
CP8-193.7-PP	193,7	7.5/8"		320 (12.60")	265 (10.43")	270 (10.63")	4 (.16")	120 (4.72")
CP8-203-PP	203	8"		320 (12.60")	265 (10.43")	270 (10.63")	4 (.16")	120 (4.72")
CP8-216-PP	216	8.1/2"		320 (12.60")	265 (10.43")	270 (10.63")	4 (.16")	120 (4.72")
CP8-219-PP	219		8"	320 (12.60")	265 (10.43")	270 (10.63")	4 (.16")	120 (4.72")
CP9-219-PP	219		8"	470 (18.50")	395 (15.55")	410 (16.14")	10 (.40")	160 (6.3")
CP9-273-PP	273		10"	470 (18.50")	395 (15.55")	410 (16.14")	10 (.40")	160 (6.3")
CP9-324-PP	324		12"	470 (18.50")	395 (15.55")	410 (16.14")	10 (.40")	160 (6.3")
CP10-356-PP	356		14"	640 (25.20")	534 (21.02")	530 (20.87")	20 (.79")	180 (7.08")
CP10-406-PP	406		16"	640 (25.20")	534 (21.02")	530 (20.87")	20 (.79")	180 (7.08")

PS CF Piastra superiore

PS CF Upper plate

PS CF Placa superior





Code	L (mm/in)	B (mm/in)	H (mm/in)	S (mm/in)	ØD (mm/in)
PSUPCF1-M3	34,5 (1.35")	30 (1.18")	7 (.28")	3 (.12")	7 (.28")
PSUPCF2-M3	52 (2.05")	30 (1.18")	7 (.28")	3 (.12")	9 (.35")
PSUPCF3-M3	64 (2.51")	30 (1.18")	7 (.28")	3 (.12")	9 (.35")
PSUPCF4-M3	79 (3.11")	30 (1.18")	7 (.28")	3 (.12")	9 (.35")
PSUPCF5-M3	102,5 (4.03")	30 (1.18")	7 (.28")	3 (.12")	9 (.35")

P CF Piastra a saldare singola

P CF Single weld plate

P CF Placa para soldar simple



Code	L (mm/in)	B (mm/in)	S (mm/in)	H (mm/in)	ØD (mm/in)	Thread D
PINFCF1-M2	37 (1.46")	30 (1.18")	3 (.12")	6,5 (.26")	12 (.47")	M6 (1/4-20 UNC)
PINFCF2-M2	55 (2.17")	30 (1.18")	5 (.20")	6 (.24")	14 (.55")	M8 (5/16-18 UNC)
PINFCF3-M2	70 (2.76")	30 (1.18")	5 (.20")	6 (.24")	14 (.55")	M8 (5/16-18 UNC)
PINFCF4-M2	85 (3.35")	30 (1.18")	5 (.20")	6 (.24")	14 (.55")	M8 (5/16-18 UNC)
PINFCF5-M2	110 (4.33")	30 (1.18")	5 (.20")	6 (.24")	14 (.55")	M8 (5/16-18 UNC)

Disponibile su richiesta la versione precedente senza bugnatura antirotazione

Previous version without anti-rotation embossing available on request

Versión anterior sin relieve antirrotación disponible bajo pedido

TE CP Vite a testa esagonale

TE CP Hexagon head bolt


TE CP Tornillo de cabeza hexagonal

ISO 4014/4017

Da utilizzare con piastra superiore PS CP

To be used with upper plate PS CP

Para uso con la placa superior PS CP



Code	Clamp reference	Thread D x L
TE-M10X45-M3	CP1 - CP1L	M10x45 (3/8-16 UNCx1.3/4")
TE-M10X60-M3	CP2 - CP2L - CP2B	M10x60 (3/8-16 UNCx2.1/4")
TE-M10X70-M3	CP3 - CP3L - CP3B	M10x70 (3/8-16 UNCx2.3/4")
TE-M12X100-M3	CP4 - CP4L - CP4B	M12x100 (7/16-14 UNCx4")
TE-M16X130-M3	CP5 - CP5B	M16x130 (5/8-11 UNCx5.1/4")
TE-M20X190-M3	CP6 - CP6B	M20x190 (3/4-10 UNCx7.1/2")
TE-M24X220-M3	CP7 - CP7B	M24x220 (7/8-9 UNCx8.3/4")
TE-M30X300-M3	CP8	M30x300 (1.1/8-7 UNCx12")
TE-M30X450-M3	CP9	M30x450 (1.1/4-7 UNCx17.1/2")
TE-M30X560-M3	CP10	M30x560 (1.1/4-7 UNCx22")